Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(("20010047372") or ("20020010700") or ("6370537") or ("20040172590") or ("6684222") or ("20040172592") or ("6950815")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 14:44
L2	2384	(translat\$4 or transform\$4 or convert\$4 or map or mapping) same (relational or rdbms or dbms or flat) same (xml or hierarchical or tree or hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L3	206	L2 and xsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L4	132	L3 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L5	130	L4 and (run-time or object or "run-time object")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L6	2	L5 and (software near2 event)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L7	9	L5 and (xalan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L8	20	L5 and (cache same object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44

L9	130	L4 and (run-time or object or "run-time object")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L10	12	(US-20010047372-\$ or US-20020010700-\$ or US-20040172592-\$ or US-20040172590-\$ or US-20010034771-\$ or US-20010034733-\$ or US-20020116371-\$ or US-20030101169-\$ or US-20030140308-\$).did. or (US-6684222-\$ or US-6950815-\$ or US-6125391-\$).did. or (NNRD45092).tban.	US-PGPUB; USPAT; IBM_TDB	OR ·	ON	2006/08/07 14:44
L11	2	L10 and (((output or result) near3 (format\$4)) with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L12	326	(xml same (convert\$4 transform\$4 translat\$4 map mapping store storing) same ((relational near2 database) rdbms dbms)) and ((mapping configuration transforming translation storing) near5 (script file))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/08/07 14:44
L13	44	L12 and SQL and xsl	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/08/07 14:44
L14	2	("20040220954").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 14:44
L15	6	(("6880125") or ("6366934") or ("6311194")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 14:44

	r			·		
L16	2	("6584459").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 14:44
L17	6	(("6889226") or ("6240407") or ("6421656")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 14:44
L18	2	(mapping adj description) same sql same xsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L19	2	(mapping adj description) same xsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L20	2	(mapping adj description) same mark\$up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L21	103	mapping adj description	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L22	26	L21 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L23	2	((mapping or translat\$4 or transform\$4) adj (description or file or document)) same sql same xsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44

L24	129	((mapping or translate) or	US-PGPUB;	OR	ON	2006/08/07 14:44
LZ4	129	((mapping or translat\$4 or transform\$4) adj (description or file or document)) same xsl	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK .	ON	2006/08/07 14:44
L25	129	((mapping or translat\$4 or transform\$4) adj (description or file or document)) same xsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L26	57	(((mapping or translat\$4 or transform\$4) adj (description or file or document)) same xsl) and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L27	7	xrtl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L28	103	mapping adj description	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L29	26	L28 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L30	2	("20050138073").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 14:44

L31	26	(US-20010034733-\$ or US-20010034771-\$ or US-20010047372-\$ or US-20010056429-\$ or US-20020010700-\$ or US-20020116371-\$ or US-20020194196-\$ or US-20030140308-\$ or US-20030140308-\$ or US-20040172590-\$ or US-20040172592-\$ or US-20040220954-\$ or US-20040220954-\$ or US-20030177477-\$ or US-20030177477-\$ or US-20030177477-\$ or US-20050138052-\$).did. or (US-6125391-\$ or US-6240407-\$ or US-6311194-\$ or US-6366934-\$ or US-6421656-\$ or US-6581062-\$ or US-6880125-\$ or US-6889226-\$ or US-6950815-\$).did. or (NNRD45092).tban.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/08/07 14:44
L32	4	L31 and (output near4 format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L33	4	(("6418451") or ("6385618")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 14:44
L34	71	sql same xsl same (file or document or combined) and (mapping or transformation or translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L35	1	(xslt near3 template) same sql and ((mapping or transformation or translation) same xml same relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44

L36	1	(xslt near3 template) same sql and (mapping or transformation or translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L37	118	(xslt near3 template) and (mapping or transformation or translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L38	21	(((xml or xmlns or xsl or xslt) near3 (template or script)) same sql) and ((mapping or transformation or translation) same xml same relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L39	790	kappel.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L40	2 ·	kappel.in. and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L41	2	xalan near2 template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/08/07 14:44
L42	96	xalan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L43	1	(run\$time near2 object) same search same jdbc same java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44

			1	<u></u>		<u> </u>
L44	74	(run\$time near2 object) and search and jdbc and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L45	4	xalan near5 (template or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L46	108	transactional near3 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L47	26	L46 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L48	3	(SQL or (database near2 operation)) with (group or sequenc\$4) and (transactional adj boundar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L49	1740	(SQL or (database near2 operation)) with (group or sequenc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L50	349	L49 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L51	2	L50 and (conditional same execution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44

L52	8	L50 and (success\$6 near5 execution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L53	1	segmented near3 transactional near3 group	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L54	2205	707/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L55	5136	707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L56	125	L54 and (translat\$4 or transform\$4 or convert\$4 or map or mapping) same (relational or rdbms or dbms or flat) same (xml or hierarchical or tree or hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L57	128	L55 and (translat\$4 or transform\$4 or convert\$4 or map or mapping) same (relational or rdbms or dbms or flat) same (xml or hierarchical or tree or hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L58	2524	707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L59	45	L58 and (translat\$4 or transform\$4 or convert\$4 or map or mapping) same (relational or rdbms or dbms or flat) same (xml or hierarchical or tree or hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44

L60	7059	707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L61	260	L60 and (translat\$4 or transform\$4 or convert\$4 or map or mapping) same (relational or rdbms or dbms or flat) same (xml or hierarchical or tree or hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 14:44
L62	86	L61 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/07 14:44